

## Analytical Balance 🦱 BAL Laboratory 🦱

400.14		. A. M.C. dallada a sa	NAA 00040	Work Order #							_		Page of										
422 V	Vest Grove Stre		MA 02346	Turn Time (Days)   □   Standard   □   Other (Specifiy) →					PA	YMEN	T		ELECTRONIC DELIVERABLES (Final Reports are PDF)										
	Phone:	508-946-2225		Regulatory State: Criteria:									☐ EQuIS				☐ State Upload						
	Lab IDa	#: M-MA022		PROJECT TYPE					(#				□ Enviro Data				☐ CLP-Like Package			:			
				☐ CT RCP ☐ MAI	MCP RGP Permit	□ 401	WQ   Drinking Water			) Am	Ex C	ash		ther (S	Specify	) →							
	CLIENT II	NFORMATION		PROJECT INFORMATION									QUES	TED A	NALY	SES							
Client:				Project Name:																			
Address:				Project Location:	Client acknowledges																		
				Project Number:			that sampling is										1			i ii i			
Phone:				Project Manager:		compliant with all EPA													Bo				
Emails for							/ State regulatory													٦٥			
Persons				1			programs.													pe			
Authorized to				PO#:																별			
Laboratory Collection Collection				Quote#:																Total Number of Bottles			
ID	Date	Time	Sample Type	Sample Matrix	Sample	e ID														Tot			
																		$\dashv$					
										-								+		-			
									_	-								$\dashv$		_			
																		$\bot$					
Container Type: AC-Air Cassette AG-Amber				Glass B-BOD Bottle (	C-Cubitainer J-Jar O-Other P-Poly	S-Sterile	V-Vial																
Container Volume: 1-100 mL 2-2.5 gal 3-250				mL 4-300 mL 5-500 n	nL 6-1L 7-VOA 8-2 oz 9-4 oz 1	0-8 oz 1	1-Other*																
Prese	ervation Code:	1-Non Prese	erved 2-HCl 3-H2	2SO4 4-HNO3 5-NaOH	6-Methanol 7-Na2S2O3 8-ZnAce, NaC	)H 9-NH4	CI 10-DI H2O 11-Other*																
						Numb	er of Bottles per Sample:																
Shipping Conditions (circle one)				Sampled by :					<u> </u>														
Ice Iced Ambient				Comments: * Ple	Chain needs to be filled out neatly and completely for on time delivery.																		
Cooler Temperature (°C):							•										Disso	olved Fi	Itration				
	val required for		-6°C							All samples submitted a							☐ Laboratory Filter						
	roved by Client (	•							Laboratory's payment terr					ms and conditions.				☐ Field Filter					
Relinquished by (Signature)  Date				Time Received By (Signature) Relinquished by				Date					Time				Received by (Signature)						
Date					- J (- g		, , ( )											, (0	J	,			
Dalinguished by (Cing 1997)				T:					Dete				T!				December of the (Olements)						
Relinquished by (Signature) Date			Date	Time Received By (Signature)			Relinquished by (Signature)			Date					Time				Received by (Signature)				
			i	I	1	I										1							